



MINIMUM ISOLATION DISTANCES
 THE PROPOSED DRILLED WELL SHALL SATISFY THE FOLLOWING MINIMUM ISOLATION DISTANCES:
 A. SEPTIC SYSTEMS - 100' UPSLOPE OF, 200' DOWNSLOPE OF
 B. SEPTIC TANKS AND ASSOCIATED PIPING - 30'
 C. DRIVEWAYS - 15'
 D. ALL OTHER ISOLATION AS SPECIFIED IN VERMONT WATER SUPPLY RULES, CHAPTER 21.





LOCATION MAP
NOT TO SCALE

- LEGEND:**
- PROPERTY LINE ±
 - ROAD RIGHT OF WAY LINE
 - - - EASEMENT EDGE
 - - - BUILDING SETBACK LIMITS
 - - - 100 YR. FLOOD LIMITS ±
 - - - EDGE OF WOODS
 - - - EDGE OF PAVEMENT
 - - - EDGE OF GRAVEL
 - - - OVERHEAD UTILITY LINE
 - - - 1' CONTOUR INTERVAL ±
 - - - 5' CONTOUR INTERVAL ±
 - UTILITY POLE
 - IRON ROD FOUND (DIA., HT.)
 - ▲ #5 REBAR SET W/ I.D. CAP
 - UNMONUMENTED POINT
 - SOIL TEST PIT
 - PERCOLATION TEST
 - - - SILT FENCE
 - - - RIVER CORRIDOR



EAST MONTPELIER ZONE "A"
COMMERCIAL
 MINIMUM LOT SIZE: 1 ACRE
 ROAD FRONTAGE: 150 FT.
 SETBACKS:
 STREET SIDE - 75 FT.
 SIDE YARD - 25 FT.
 REAR YARD - 25 FT.

OWNER / APPLICANT
 KEVIN BAILEY
 86 CURTIS ROAD
 BARRE, VT 05641
 PID: 10-077.600
 TAX MAP #09/00-93.225
 SPAN: 195-062-11375
 DEED: BOOK 116 PAGE 398



SITE PLAN
KEVIN BAILEY PROPERTY
 4243 U.S. ROUTE 2
 EAST MONTPELIER, VERMONT

SCALE: 1" = 30' DATE: 4/11/19 PROJ.# 2019 021 DWG.# 19021A
 DRAWN BY: TDM CHECKED BY: CDC FB/PG. 92/ EFB SHEET SP1

301 North Main Street, Suite 1
 Barre, Vt. 05641
 802-479-9636
Chase & Chase
 Surveyors & Septic
 Designers, Inc